



Folding Carton Window Films

POLYESTER - Superior Clarity, High Strength & Temperature Resistance for Demanding Applications

PRODUCT	DESCRIPTION	AVAILABLE GAUGES (Bold=Stock Item)
PT	High Clarity / Acrylic Treated 1 or 2 Sides for Adhesion	48 / 92 / 142 / 200 / 300 / 400 500 / 700 / 1000
PTPF	High Clarity / Acrylic Treated 1 or 2 Sides for Adhesion / Perforated, Available Gauges:	92, 142

POLYPROPYLENE - Clear with Good Slip Properties

PRODUCT	DESCRIPTION	AVAILABLE GAUGES (Bold=Stock Item)
SMFCT	High Clarity / Slip Modified / Flame Treated 1 Side / Corona Treated 1 Side	48 / 76 / 100 / 120 / 200
HSAF	Heat Sealable with a Wide Seal Range / Anti-Fog Treated 2 Sides/ Corona Treated 2 Sides	120
SPPF	Slip Modified / 1 Side Corona Treated / 1 Side Flame Treated / Perforated, Available Gauges:	100, 120

COATED POLYPROPYLENE - Good Clarity, High Moisture & Aroma Barrier

PRODUCT	DESCRIPTION	AVAILABLE GAUGES (Bold=Stock Item)
RC	2 Side Acrylic Coated / Heat Sealable	80 / 100 / 120 / 140 / 160 / 200 / 240
RD	1 Side Acrylic Coated / 1 Side PVdC Coated / Heat Sealable	85 / 100 / 125 / 140 / 160 / 210

POLYSTYRENE - High Clarity & Stiffness

PRODUCT	DESCRIPTION	AVAILABLE GAUGES (Bold=Stock Item)
TRYCITE	High Clarity / Stiff / Excellent Die Cutting Properties	125 / 150 / 200

POLYETHYLENE - Medium Clarity & Soft, Extensible Film

PRODUCT	DESCRIPTION	AVAILABLE GAUGES (Bold=Stock Item)
Polyethylene	Low Density / Designed for Tissue Box Liner Application	150 / 200

COMPOSTABLE- Biodegradable & Environmentally Friendly

PRODUCT	DESCRIPTION	AVAILABLE GAUGES (Bold=Stock Item)
PLA-C	Polylactic Acid / Compostable / Anti-Static Coated 1 Side / Corona Treated 1 Side	80 / 100
NatureFlex™ NVS	Cellulose Based Film / Transparent / Heat Sealable 2 Sides / Improved Stiffness for Chilled Conditions	90 / 120
NatureFlex™ NE	Cellulose Based Film / Transparent / Heat Sealable 2 Sides / Increased Moisture Barrier	75 / 90 / 120 / 165

For increased water vapor transmission, any of the aforementioned films can be micro-perforated. Please contact us to get specific information regarding the barrier properties of any films you would like to have perforated.



PLANT LOCATIONS

Corporate Headquarters & Southeastern Converting Facility

223 Pine Road • P.O. Box 51128 • Easley, SC 29642
864.269.4690 • 800.648.4828

Western Converting Facility

9000 9th Street, Suite 140
Rancho Cucamonga, CA 91730
909.944.9981 • 800.972.8858

Midwestern Converting Facility

241 Airport Road
North Aurora, IL 60542
630.859.1496 • 800.972.8858

Northeastern Converting Facility

81 National Drive
Glastonbury, CT 06033
860.633.8374 • 800.972.8858

Brushfoil Manufacturing Facility

1 Shoreline Drive, Unit 6
Guilford, CT 06437
203.453.7403 • 800.493.2321